

Nitrile and Latex Powder Free

Examination Gloves















SIRIM ISO 9001:2015 QMS 02060





SIRIM
EN ISO 13485:2016
Q5 115813 0001
QMS-MD-00201



SIRIM MS 1514:2022 GMP 00193



Latex Powder Free Gloves

Features

- Powder Free
- Non-sterile
- Finger textured for improved grip and instrument handling
- Contains natural rubber latex which may cause allergic reactions
- Designed with a good fit and comfort

Ideal Applications



Medical



Beauty Salon



Dental



Food Handling



General Cleaning & Housekeeping



General Purpose

Certification and Compliance



EN 455



MEDICAL DEVICE







EN ISO 374-1:2016 Type C





EN ISO 374-5:2016





Specifications

Micro Thin DSP45LPF		
Material	Latex	
Туре	Powder free	
Palm Thickness	Min 0.08 mm / 3.1 mil	
Finger Thickness	Min 0.08 mm / 3.1 mil	
Length	Min 240 mm	
Cuff	Beaded	
Size	XS/S/M/L/XL/XXL	
Packing	100 pcs / Dispenser box	
	10 boxes per carton	
Physical Properties	Before aging	After aging
♦ Tensile Strength (Mpa)	≥ 18	≥ 14
♦ Elongation (%)	≥ 650	≥ 500
♦ Force at Break (N)	≥ 6	≥ 6

Extra DSP50LPF		
Material	Latex	
Туре	Powder free	
Palm Thickness	Min 0.08 mm / 3.1 mil	
Finger Thickness	Min 0.08 mm / 3.1 mil	
Length	Min 240 mm	
Cuff	Beaded	
Size	XS/S/M/L/XL/XXL	
Packing	100 pcs / Dispenser box	
	10 boxes per carton	
Physical Properties	Before aging	After aging
 Tensile Strength (Mpa) 	≥ 18	≥ 14
♦ Elongation (%)	≥ 650	≥ 500
♦ Force at Break (N)	≥ 6	≥ 6

Supreme DSP55LPF		
Material	Latex	
Туре	Powder free	
Palm Thickness	Min 0.08 mm / 3.1 mil	
Finger Thickness	Min 0.08 mm / 3.1 mil	
Length	Min 240 mm	
Cuff	Beaded	
Size	XS/S/M/L/XL/XXL	
Packing	100 pcs / Dispenser box	
	10 boxes per carton	
Physical Properties	Before aging	After aging
♦ Tensile Strength (Mpa)	≥ 18	≥ 14
Elongation (%)	≥ 650	≥ 500
♦ Force at Break (N)	≥ 6	≥ 6

Nitrile Powder Free Gloves

Features

- Powder Free
- Non-sterile
- Not made with Natural Rubber Latex
- Finger textured for improved grip and instrument handling
- Designed with a good fit and comfort
- Tested for use with chemotherapy drugs

Ideal Applications



Medical / Examination



Chemotherapy



Dental



Laboratory



Industrial Use



Food and Beverages



General Housekeeping



Tattoo and Beauty

Certification and Compliance

















EN ISO 374-1:2016 Type B











Specifications

Micro Thin DSP35NPF		
Material	Nitrile	
Туре	Powder free	
Palm Thickness	Min 0.05 mm / 2.0 mil	
Finger Thickness	Min 0.06 mm / 2.4 mil	
Length	Min 240 mm	
Cuff	Beaded	
Size	XS/S/M/L/XL/XXL	
Colour	Blue / Violet / Black / Cool Breeze Blue	
Packing	100 pcs / Dispenser box	
	10 boxes per carton	
Physical Properties	Before aging	After aging
♦ Tensile Strength (Mpa)	≥ 14	≥ 14
Elongation (%)	≥ 500	≥ 400
◆ Force at Break (N)	≥ 6	≥ 6

Extra DSP50NPF		
Material	Nitrile	
Туре	Powder free	
Palm Thickness	Min 0.07 mm / 2.7 mil	
Finger Thickness	Min 0.08 mm / 3.1 mil	
Length	Min 240 mm	
Cuff	Beaded	
Size	XS/S/M/L/XL/XXL	
Colour	Blue / Violet / Sky Blue / White / Black	
Packing	100 pcs / Dispenser box	
	10 boxes per carton	
Physical Properties	Before aging	After aging
Tensile Strength (Mpa)	≥ 18	≥ 16
Elongation (%)	≥ 500	≥ 400
♦ Force at Break (N)	≥ 6	≥ 6


Supreme DSP60NPF		
Material	Nitrile	
Туре	Powder free	
Palm Thickness	Min 0.09 mm / 3.5 mil	
Finger Thickness	Min 0.10 mm / 3.9 mil	
Length	Min 240 mm	
Cuff	Beaded	
Size	XS/S/M/L/XL/XXL	
Colour	Blue / Turquoise green / Black	
Packing	100 pcs / Dispenser box	
	10 boxes per carton	
Physical Properties	Before aging	After aging
♦ Tensile Strength (Mpa)	≥ 18	≥ 18
Elongation (%)	≥ 500	≥ 400
♦ Force at Break (N)	≥ 6	≥ 6

About KL-Kepong Rubber Products

Established in 1987, KL-Kepong Rubber Products Sdn. Bhd. has grown into one of Malaysia's leading OEM and private label manufacturers of hand protection gloves. The company offers a wide range of products, from Household, Chemical Resistance, Industrial, and Food Processing to Nitrile and Latex Powder Free Examination Gloves.

KL-Kepong Rubber Products is committed to providing sustainable, quality products and services to its valued customers by operating sustainably and adopting stringent quality assurance and control systems. It is ISO 9001:2015 and ISO 13485:2016 certified, and its products have earned quality recognition with CE markings and comply with various international standards.

KL-Kepong Rubber Products Sdn Bhd is a wholly-owned subsidiary of Kuala Lumpur Kepong Berhad (KLK), a leading International Plantations Group listed on the Main Board of Bursa Malaysia Securities Berhad.



Embracing Sustainable Glove Solutions



Cogeneration System (COGEN)

Water Waste Management

Rainwater Harvesting

New NBR raw material technology





Respect & Recognise Rights in Workplace

SEDEX | SMETA

NUECMRP

No Debt Bondage





Core Value THRIIL

Anti Bribery & Anti-Corruption (ABAC)

Compliance with International Standards & Requirements

KLK Care

KL-Kepong Rubber Products Sdn Bhd (96464-V)

Lot 21251, 3/4 Mile off Jalan Bercham, Kawasan Perindustrian Bercham, 31400 Ipoh, Perak Darul Ridzuan, Malaysia.

T: +605 541 7337 F: +605 541 5148 E: info@klkrp.com.my



