



**The Trusted and Preferred
OEM Manufacturer of
Hand Protection Gloves**

INDUSTRIAL GLOVE

Features

- Made with premium natural latex for excellent tactility, elasticity and resistance to tearing
- Designed for better hand care and protection
- Flocklined for easy donning, added comfort and better absorption of perspiration
- Beading for improved tear resistance
- Superior grip pattern for excellent grip in wet and dry conditions
- Also available in Neoprene blended material for superior chemical protection and resistance

Art No.	HW25	HW25 Neo	HW28	HW28 Neo
Material	Natural Rubber	Natural Rubber + Neoprene Blended	Natural Rubber	Natural Rubber + Neoprene Blended
Thickness	24 - 26 mil (0.60 - 0.65 mm)	24 - 26 mil (0.60 - 0.65 mm)	27 - 29 mil (0.67 - 0.72 mm)	27 - 29 mil (0.67 - 0.72 mm)
Lining	Flocklined / Unlined			
Length	12" / 13" (305 / 330 mm)			
Colour	 Black  Orange  Bi-Colour			
Cuff	Beaded / Straight Cut			
Size	S / M / L / XL / XXL			

Ideal For



Mechanical
Repair Works



Construction
& Painting



General
Maintenance



Laboratory
Works



Agriculture



Industrial
Cleaning

HW25

EN388:2016



2020X

EN ISO 374-5:2016



EN ISO 374-1:2016 Type C



CE 2777



HW28

EN388:2016



3010X

EN ISO 374-5:2016



EN ISO 374-1:2016 Type B



CE 2777
UK 0321



HW28 NEO

EN388:2016



2010X

EN ISO 374-5:2016



EN ISO 374-1:2016 Type A



CE 2777



KLMPST

CHEMICAL RESISTANT GLOVE



Features

Nitrile

- Made with premium nitrile which provide outstanding protection against chemicals, oils and acid / base solvents
- Superior resistance to abrasion, cut and puncture
- Latex free, allergy free
- Flocklined for easy donning, added comfort and better absorption of perspiration

Natural Rubber

- Thicker premium natural rubber glove for extra protection in heavy duty application
- Excellent tactility and good resistance to abrasion
- Flocklined for easy donning, added comfort and better absorption of perspiration
- Offers superior resistance against selected acids, solvents, strong detergent, oil and greases

Art No.	LWF13-N15	LWU13-N15	HW32	HW32 Neo
Material	Nitrile	Nitrile	Natural Rubber	Natural Rubber + Neoprene Blended
Thickness	14 - 16 mil (0.35 - 0.40 mm)	14 - 16 mil (0.35 - 0.40 mm)	31 - 33 mil (0.79 - 0.84 mm)	31 - 33 mil (0.79 - 0.84 mm)
Lining	Flocklined / Unlined			
Length	12" / 13" (305 / 330 mm)			
Colour	 Green  Black			
Cuff	Beaded / Straight Cut			
Size	S / M / L / XL / XXL			

Ideal For



Oil Refinery



Chemical Handling



Agriculture



Printing Industry



Food Processing



Janitorial & Sanitation Works

LWF13-N15

EN388:2016



4101X

EN ISO 374-5:2016



EN ISO 374-1:2016 Type A



JKLNOPT

CE 2777



FOOD SAFE COMPLIANCE
FDA21.CFR 177.2600

LWU13-N15

EN388:2016



4101X

EN ISO 374-5:2016



EN ISO 374-1:2016 Type B



AJKL

CE 2777



HW32 Neo

EN388:2016



2120X

EN ISO 374-5:2016



EN ISO 374-1:2016 Type A



AKLMST

CE 2777



FOOD PROCESSING GLOVE

Features

Nitrile

- Made with premium nitrile which provide outstanding protection against oil and acid / base conditions
- Superior resistance to abrasion, cut and puncture
- Latex free, allergy free
- Strong, flexible and durable
- Ultra thin ULWU9 for better sense of touch
- Beaded ULWU9 for improved tear resistance

Natural Rubber

- Made with premium natural latex for excellent tactility, elasticity and resistance to tearing
- Designed for better hand care and protection
- Unlined for hygiene and smoother hand feel
- Beading for improved tear resistance

Art No.	ULWU9 NBR		SLWU11 NBR		MWU19	MWU21
Material	Nitrile		Nitrile		Natural Rubber	Natural Rubber
Thickness	9 - 10 mil (0.23 - 0.26 mm)		11 - 13 mil (0.28 - 0.33 mm)		18 - 20 mil (0.45 - 0.50 mm)	20 - 22 mil (0.50 - 0.55 mm)
Lining	Unlined					
Length	12" / 13" (305 / 330 mm)					
Colour	 Yellow	 Blue	 Green	 Natural	 Dark Blue	 Pastel Pink
Cuff	Beaded / Straight Cut					
Size	S / M / L / XL / XXL					

Ideal For



Canning &
Food Processing



Poultry
Handling



Pharmaceutical
Manufacturing



Catering &
Food Service



Assembly &
Inspection



General
Household

SLWU11 NBR

EN388:2016



0001X

EN ISO 374-5:2016



EN ISO 374-1:2016 Type B



JKL

CE 2777



MWU21

EN388:2016



2010X

EN ISO 374-5:2016



EN ISO 374-1:2016 Type B



KLMPPT

CE 2777



FOOD SAFE COMPLIANCE
FDA21.CFR 177.2600

HOUSEHOLD GLOVE



Features

- Made with premium natural latex for excellent tactility, elasticity and resistance to tearing
- Designed for better hand care and protection
- Flocklined for easy donning, added comfort and better absorption of perspiration
- Beading for improved tear resistance
- Superior grip pattern for excellent grip in wet and dry conditions

Art No.	ULW9	SLW13	LW15	MW19		
Material	Natural Rubber	Natural Rubber	Natural Rubber	Natural Rubber / Nitrile Blended		
Thickness	9 - 10 mil (0.23 - 0.26 mm)	12 - 14 mil (0.30 - 0.35 mm)	14 - 16 mil (0.35 - 0.40 mm)	18 - 20 mil (0.45 - 0.50 mm)		
Lining	Flocklined / Unlined					
Length	12” / 13” (305 / 330 mm)					
Colour	 Yellow	 Pink	 Natural	 Blue	 Orange	 Bi-Colour
Cuff	Beaded / Straight Cut					
Size	S / M / L / XL / XXL					

Ideal For



General Household



Dishwashing & Cleaning



Laundry



Janitorial & Sanitation Works



Gardening



Food Preparation & Processing

SLW13

EN388:2016 EN ISO 374-5:2016 EN ISO 374-1:2016 Type C EN 421:2010



MW19

EN388:2016 EN ISO 374-5:2016 EN ISO 374-1:2016 Type B



CE 2777



MW19 NBR-BLD

EN388:2016 EN ISO 374-5:2016 EN ISO 374-1:2016 Type B



CE 2777



ACCREDITATIONS



CERTIFIED TO ISO 9001:2015
CERT. NO. : QMS 02060

KL-Kepong Rubber Products Sdn Bhd (96464-V)

Lot 21251, 3/4 Mile off Jalan Bercham,
Kawasan Perindustrian Bercham,
31400 Ipoh, Perak Darul Ridzuan, Malaysia.

T : +605 541 7337 F : +605 541 5148 E : info@klkrp.com.my

www.klkrp.com.my



AMBI 8 FLOCKLINED INDUSTRIAL NITRILE GLOVE

Features

- Made with premium nitrile rubber which provides outstanding durability and protection against chemicals, grease and acids / base condition
- Flocklining absorbs perspiration and keeps hands dry and comfortable
- Beaded cuff ensures easy donning and prevent roll down
- Ambidextrous
- Thicker for longer usage which results better cost-in-use efficiency
- Fully textured surface for enhanced grip
- Latex protein free

Art No.	AMBI 8
Material	Nitrile
Thickness (palm)	≥ 0.21mm
Lining	Flocklined
Length	275 (± 5mm)
Colour	 Orange  Black
Cuff	Beaded
Size	S / M / L / XL / XXL
Packing	Dispenser / Polybag

Ideal For



Automotive



Painting



Production
Maintenance



Light Chemical
Handling



Tattoo /
Beauty



General
Cleaning



Gardening



Fisheries



Flocklined



Flocklined

AMBI 8

EN388:2016



0001X

EN ISO 374-5:2016



EN ISO 374-1:2016 Type B



KOPT

CE 2777



FOOD SAFE COMPLIANCE
FDA21.CFR 177.2600